

# Implementation of OGC's WPS standard: PyWPS

Jáchym Čepický

October 11, 2006

Copyright ©2006 Jáchym Čepický Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

In this file, you can find the description of installation and configuration of PyWPS script. At the end, you can learn, how to add your own process to the list of processes.

PyWPS project has been started on April 2006 with support of DBU – Deutsche Bundesstiftung Umwelt (<http://dbu.de>) and with help of GDF-Hannover (<http://gdf-hannover.de>) and Help Service Remote Sensing (<http://bnhelp.cz>) companies.

Source code can be found at <http://les-ejy.cat=pywps>

## Contents

<b>1</b>	<b>Bugs</b>	<b>3</b>
<b>2</b>	<b>Installation</b>	<b>3</b>
2.1	Installation the quick 'n' dirty way . . . . .	3
2.2	Installation the 'clean' way . . . . .	3
2.3	Testing after installation . . . . .	4
<b>3</b>	<b>Configuration</b>	<b>4</b>
3.1	etc/settings.py . . . . .	4
3.2	etc/grass.py . . . . .	6
<b>4</b>	<b>Add your own processes</b>	<b>6</b>
4.1	Process Configuration . . . . .	7
4.1.1	Data Inputs . . . . .	7
4.1.2	Data Outputs . . . . .	9
4.2	Process Programming . . . . .	10
4.2.1	Error handling . . . . .	10
<b>5</b>	<b>Note to grass programming</b>	<b>11</b>

<b>6</b>	<b>Testing your new process</b>	<b>11</b>
<b>7</b>	<b>Using the PyWPS</b>	<b>11</b>
7.1	Input . . . . .	11
7.2	Output . . . . .	14
<b>A</b>	<b>Sample process: addvalue</b>	<b>15</b>
<b>B</b>	<b>KVP request encoding of addvalue</b>	<b>19</b>
<b>C</b>	<b>XML request encoding addvalue</b>	<b>19</b>
<b>D</b>	<b>Licence of PyWPS</b>	<b>19</b>
<b>E</b>	<b>Licence of this document</b>	<b>24</b>

# 1 Bugs

Known bugs and limitations to 14.8.2006

- Process Inputs definition is made on very primitive way. But it works.
- Sometimes, when there is e.g. `SyntaxError` in the process, temporary file `/tmp/pywps*` is not deleted, which leads to `ServerBussy` exception and the files have to be removed by hand.

Please report all problems or unexpected handling.

# 2 Installation

Required packages:

- Web Server (e.g. Apache)
- python
- python-xml

Recommended packages:

- GIS GRASS
- PROJ.4
- GDAL/OGR

## 2.1 Installation the quick 'n' dirty way

For installing pywps to your server simply unzip the archive to the directory, where cgi programs are allowed to run.

## 2.2 Installation the 'clean' way

Unzip the package

```
$ tar -xzf pywps-VERSION.tar.gz
```

and run

```
$ python setup.py install
```

## 2.3 Testing after installation

For test, just run `wps.py` in your command line:

```
\$ ./wps.py
Content-type: text/xml

<?xml version="1.0" ?>
<ExceptionReport version="1.0.0" xmlns="http://www.opengis.net/ows"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <Exception exceptionCode="MissingParameterValue" locator="request"/>
</ExceptionReport>
```

If you got some other message, like e.g.:

```
Traceback (most recent call last):
  File "trunk/index.py", line 53, in ?
    from Wps import wpsexceptions
  File "/home/jachym/prog/pywps/trunk/Wps/wpsexceptions.py", line 8, in ?
    from xml.dom.minidom import Document
ImportError: No module named xml.dom.minidom
```

Than something is wrong with your Python installation or with the program. This message means, that the `xml.dom.minidom` package is not installed in your system.

## 3 Configuration

Before you start to tune your `pywps` program, you should get your copy of OpenGIS(R) Web Processing Service document (OGC 05-007r4) version 0.4.0 from <http://www.opengeospatial.org/specs/>

NOTE: Note, that the configuration option are CASE SENSITIVE

`Pywps` configuration takes places in two files. The files are actually python scripts, so it does not harm, if you have some experience in python programming language. But you should be able to setup the program without any python knowledge.

The first file is in `etcsettings.py` and (optional) the second file is `etcgrass.py`. Some special "tuning" can be done in `processes/___init___.py` file

### 3.1 etc/settings.py

This file has got two sections: `WPS` and `serverSettings`

In the `WPS` section, the main configuration is set, which appears mostly in `GetCapabilities` request. The *mandatory* parameters, which should be set up are (with default/recommend values):

```
'version': "0.4.0",
'ServiceIdentification': {
  'Title':"Jachym's WPS server",
```

```

    'ServiceType': "WPS",
    'ServiceTypeVersion': "0.1.0",
    'Abstract': 'Abstract to this WPS',
},
'ServiceProvider': {
    'ProviderName' : "Your Company",
    'IndividualName': "Your Name",
    'PositionName': "Your Position",
    'Role': "your role",
    'DeliveryPoint': "Street",
    'City': "City",
    'PostalCode': "00000",
    'Country': "Your country",
    'ElectronicMailAddress': "your.email@address",
},
'OperationsMetadata': {
    'ServerAddress' : "http://localhost/cgi-bin/wps/wps.py",
},
'Keywords' : ['GRASS', 'GIS', 'WPS'],

```

In the `ServerSettings` section, the variables are set, which have impact on the whole server.

```

# NOTE: You have to create this directory manually and set rights, so
#       the program is able to store data in there
'outputPath': '/var/www/wpsoutputs',

#
# 'outputUrl' - URL of the directory, where the outputs will be stored
'outputUrl': 'http://192.168.1.31/wpsoutputs',

#
# tempPath - path to directory, where temporary data will be stored.
# NOTE: the pywps has to have rights, to create directories and files
#       in this directory
'tempPath': '/tmp',

#
# maxOperations - maximum number of operations, which is allowed to low
# on this server at ones
# default = 1
'maxOperations': 1,

#
# maxSize: maximum input file size in bytes

```

```

# NOTE: maximum file size is 5MB, no care, if this number is higher
'maxSize':5242880, # 5 MB

#
# maxInputParamLength: maximal length of input values
# NOTE: maximum length of input parameters is 256, no matter, how height
#       is this number
'maxInputParamLength':256,

```

### 3.2 etc/grass.py

This file servers for configuration of GRASS GIS environment (if your processes need one). Everything is stored in `grassenv` structure.

```

# PATH in which your modules (processes) should be able the search.
# Default value:
'PATH': "/usr/local/grass-6.1.cvs/bin/:/usr/local/grass-6.1.cvs/scripts/:\
/usr/bin/:/bin/",

# Add eventually some other path, in which should GRASS search for modules
'GRASS_ADDON_PATH': "",

# Version of GRASS, you are using
'GRASS_VERSION': "6.1.cvs",

# GRASS_PERL, where is your PERL bin installed
'GRASS_PERL': "/usr/bin/perl",

# GRASS_GUI should be always "text" unless you know, what you are doing
'GRASS_GUI': "text",

# GISBASE is place, where your GRASS installation is
'GISBASE': "/usr/local/grass-6.1.cvs",

# LD_LIBRARY_PATH
'LD_LIBRARY_PATH':"/usr/local/grass-6.1.cvs/lib",

# HOME has to be set
'HOME':"/var/www",

```

## 4 Add your own processes

All processes are stored in the `processes` directory. Put your file e.g. `myprocess.py` in there.

Process is python class with two functions: `__init__(self)` and `execute(self)`. In the `__init__(self)` function, inputs, outputs and other configuration values are set. The GIS

operations are called in `execute(self)` function. It is possible also to add as many your functions, as you wish.

## 4.1 Process Configuration

The configuration part belongs to the `__init__` function of the `Process` class.

Mandatory variables are

```
# Myprocess name
self.Identifier = "spearpath"

# Myprocess version
self.processVersion = "0.1"

# Is it allowed, store the data on the server?
self.storeSupported = "true"

# Do not wait, till the calculation is done -> return XML with status
# immediately
self.statusSupported = "true"

# Myprocess Title
self.Title="Find the shortest path on the roads map on Spearfish dataset"
```

Eventually optional attributes can be found in the table 38 - "Parts of ExecuteResponse data structure"

If your process should happen in existing GRASS-Location, and you just need the input parameters for GRASS modules, you can specify it's name by `grassLocation` variable:

```
grassLocation="/var/grassdata/spearfish57/"
```

If this variable is not set, new temporary GRASS Location && mapset will be generated and you can work in there. The projection of the location will be XY.

### 4.1.1 Data Inputs

Data inputs are defined in `self.Inputs` array. Each input is an dictionary with several (mostly mandatory) parameters. Each input type (`LiteralValue`, `ComplexValue`, `ComplexValueReference`, `BoundingBoxValue`) **must** be a Python's dictionary ("{}") structure, which *can* be filled with additional attributes.

- Example of `LiteralInput`: `LiteralValues` are used for individual text entry. Your process can either support any text entry or the entry must be from list of allowed values. `LiteralValues` of types `AnyValue` and `AllowedValues` are supported. Range of values is not yet implemented.

Allowed values are set by array of values. If there is no `values` array or it contains "\*" in the array, `AnyValue` is assumed:

```

{ # example of "AnyValue" case with centimeters as default unit

  'Identifier': 'my_input_value',
  'Title': 'This is my input value',
  'LiteralValue': {'UOMs':["cm"]},
  # alternative for any value:
  # 'LiteralValue': {'values':["*"]},
  'dataType': type(0.0)
},
{ # example of "AllowedValues case with default units (meters)

  'Identifier': 'my_input_value',
  'Title': 'This is my input value',
  'LiteralValue': {values:[250, "300", '40', "a"]},
  # the default value:
  'value': 250,
},

```

- Example of `ComplexValueReference` input: `ComplexValueReference` is URL to some raster/vector/text file, which can be later imported (e.g. to GRASS) and processed. PyWPS will download the file for you and store its name to `self.Inputs[NUMBER]['value']` variable.

```

{
  'Identifier': 'input_map_file',
  'Title': 'Input raster map',
  'ComplexValueReference': {
    'Formats': [ "image/tiff" ]
  },
},

```

- Example of `ComplexValue` input: `ComplexValue` provides possibility to embed input (XML) file (e.g. GML) to input `ExecuteResponse` XML file. PyWPS will store this input in file on server's harddisk, so you can later handle it just like `ComplexValueReference`.

```

{
  'Identifier': 'vector',
  'Title': 'Input vector map',
  'Abstract':
    "This vector map must be part of the input XML document",
  'ComplexValue': {
    'Formats': [ "text/xml" ]
  },
},

```



```
},
```

- Example of BoundingBoxValue input: BoundingBoxValue provides possibility define your region borders. You can input this only to your Execute response XML file.

```
{
  'Identifier': 'bbox',
  'Title': 'Bounding box',
  'Abstract':
    "Bounding box",
  'BoundingBoxValue': {},
},
```

Resulting value in your `self.Input[NUMBER]['value']` will be array of four values in form [Lower East, Lower North, Upper East, Upper North].

Default values can be set like follows: `'value': "Default value"`,

NOTE: If the `'dataType'` attribute is not set, control of the input value will not be possible, which could endanger your system

For more details look in the table 33 "Parts of ValueFormChoice data structure"

#### 4.1.2 Data Outputs

The `self.Outputs` structure defines the look of the outputs from your process. The definition is not much different from the Input structure:

```
{
  'Identifier': 'output',
  'Title': 'Resulting output map',
  'ComplexValue': {
    'Formats': ["text/xml"],
  }
},
{
  'Identifier': 'text',
  'Title': 'Some text',
  'Abstract': 'Some informative text',
  'LiteralValue': {
    {'UOMs': ["none"]},
  }
}
}
```

**BoundingBox Output** `BoundingBoxValue` is defined by two coordinates pairs: `LowerCorner` and `UpperCorner`. For creating `BoundingBoxValue` output, you have to make output array with this values:

```
{
  'Identifier': 'mybbox',
  'Title': 'Bounding Box of resulting map',
  'BoundingBoxValue': {},
  'value' : [0, 0, 10, 10],
},
```

## 4.2 Process Programming

The process must be defined in the `execute(self)` function. To each element in `self.Inputs` array, `'value'` option will be added. Input variables are accessible via `'value'` attribute of each element of the `self.Inputs` array.

Another way, how to access input values it to do so via new hash `self.DataInputs`. This way is more intuitive and less confusing. If order of `Inputs` will change, their identifiers in `DataInputs` structure remain same.

Also new variable `self.grassenv` will be in your process at your service.

Output values can be stored either directly to `self.Outputs[index]['value']` variable or to `self.DataOutputs['identifier']` hash on similar way, how `DataInputs` are used. This makes the usage again more intuitive.

```
def execute(self):
    if os.system("""g.region -d >&2"""):
        return "Could not set region to default"

    os.system("r.in.gdal -o in=%s out=my_map >&2" %\
              (self.Inputs[0]['value']))
    os.system("r.mapcalc my_output=my_map+%d >&2" %\
              (self.DataInputs['value']))

    if os.system("r.out.gdal type=Float32 out=map.tif in=my_output >&2"):
        return "Could not export resulting raster map [map.tif]"

    self.Outputs[0]['value'] = "map.tif"
    self.DataOutputs['location'] = self.grassenv['LOCATION_NAME']
    return
```

That is all, folks!

### 4.2.1 Error handling

At the end of the `execute` function, `None` value should be returned. Any other value means, that the calculation will be stopped and error report will be returned back to the client.

## 5 Note to grass programming

The simplest way, how to call GRASS's (and other shell) commands is via python's `os.system()` or `os.popen()` function. Before you do so, it is important to import the `os` python package (usually one of the first lines in the file). This approach might not be the best, but it is the simplest one. Feel free to use any other low-end functions.

Unfortunately, the GRASS modules are very verbose. Some messages are written to `STDOUT`, some to `STDERR`. The `STDERR` will be stored in the error file of your web server. But you have to "catch" the messages, sent to `STDOUT`. This can be done e.g. by using `"1;&2"` statement (redirecting `STDOUT` to `STDERR` in shell):

```
os.system("""
    echo "Rekni jim drazi, tatko, za to nic nedas." >&2
""")
```

## 6 Testing your new process

- GetCapabilities request:

```
wget -nv -q -O - --post-data="version=0.4.0&service=Wps&\
    request=getcapabilities" "http://localhost/cgi-bin/wps.py"
```

- DescribeProcess request:

```
wget -nv -q -O - --post-data="version=0.4.0&service=Wps&\
    request=DescribeProcess&Identifier=your_process" \
    "http://localhost/cgi-bin/wps.py"
```

- Execute request:

```
wget -nv -q -O - --post-data="version=0.4.0&service=Wps&\
    request=Execute&Identifier=your_process&\
    datainputs=input1,value1,input2,value2" \
    "http://localhost/cgi-bin/wps.py"
```

## 7 Using the PyWPS

### 7.1 Input

To get response from PyWPS you have to formulate appropriate query string first. You can use HTTP GET style or HTTP POST style.

HTTP GET style is standard URL, with all parameters in one line. You can not set any `ComplexValue` data in your process via HTTP GET. Example:

```
wget -nv -q -O - --post-data="version=0.4.0&service=Wps&\
    request=Execute&Identifier=your_process&\
```

```
datainputs=input1,value1,input2,value2"\
"http://localhost/cgi-bin/wps.py"
```

In HTTP POST style, you send one "request" parameter, which contains XML input. The XML file can contain also included ComplexValue data, e.g. GML file. Example:

```
wget --post-file=execute-post.txt \
"http://localhost/pywps/wps.py" -O - -nv -q
```

The execute-post.txt file can look like follows:

```
request=<?xml version="1.0" encoding="utf-8"?>
<Execute service="WPS" version="0.4.0" store="false" status="false"
xmlns="http://www.opengeospatial.net/wps"
xmlns:ows="http://www.opengeospatial.net/ows"
xmlns:xlink="http://www.w3.org/1999/xlink"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opengeospatial.net/wps/wpsDescribeProcess.xsd">
  <ows:Identifier>searchpath</ows:Identifier>
  <DataInputs>
    <Input>
      <ows:Identifier>streetmap</ows:Identifier>
      <ows:Title>The map</ows:Title>
      <ows:ComplexValue>
        <Value>
<ogr:FeatureCollection
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://ogr.maptools.org/ donut.xsd"
  xmlns:ogr="http://ogr.maptools.org/"
  xmlns:gml="http://www.opengis.net/gml">
<gml:boundedBy>
  <gml:Box>
    <gml:coord><gml:X>4.263256414560601e-14</gml:X>
      <gml:Y>-70.71067811865474</gml:Y></gml:coord>
    <gml:coord><gml:X>141.4213562373095</gml:X>
      <gml:Y>70.71067811865474</gml:Y></gml:coord>
    </gml:Box>
  </gml:boundedBy>
<gml:featureMember>
  <ogr:donut fid="F0">
    <ogr:geometryProperty><gml:LineString><gml:coordinates>
      70.710678118654755,70.710678118654741,0 141.42135623730951,0.0,
      0 70.710678118654741,-70.710678118654741,0 0.0000000000000043,
      0.0000000000000057,0 70.710678118654755,
      70.710678118654741,0</gml:coordinates>
    </gml:LineString></ogr:geometryProperty>
```

```

    </ogr:donut>
  </gml:featureMember>
  <gml:featureMember>
    <ogr:donut fid="F0">
      <ogr:geometryProperty><gml:LineString><gml:coordinates>50.000000000000014,
        0.000000000000021,0 71.213203435596427,-21.213203435596419,0
        92.426406871192853,0.0,0 71.213203435596427,21.213203435596423,0
        50.000000000000014,0.000000000000021,0</gml:coordinates>
      </gml:LineString></ogr:geometryProperty>
    </ogr:donut>
  </gml:featureMember>
</ogr:FeatureCollection>
  </Value>
</ows:ComplexValue>
</Input>

  <Input>
    <ows:Identifier>x1</ows:Identifier>
    <ows:LiteralValue>591679.31</ows:LiteralValue>
  </Input>
  <Input>
    <ows:Identifier>y1</ows:Identifier>
    <ows:LiteralValue>4927205.07</ows:LiteralValue>
  </Input>
  <Input>
    <ows:Identifier>x2</ows:Identifier>
    <ows:LiteralValue>608642.625</ows:LiteralValue>
  </Input>
  <Input>
    <ows:Identifier>y2</ows:Identifier>
    <ows:LiteralValue>4915876.31</ows:LiteralValue>
  </Input>
</DataInputs>
</Execute>

```

You can see, that there are 4 inputs in this process:

1. ComplexValue GML File
2. x1 coordinate
3. y1 coordinate
4. x2 coordinate
5. y2 coordinate

## 7.2 Output

The output from PyWPS can be either XML file or results of processes directly. In default configuration, no files are stored on the server, resulting values (maps) are returned to the client. If you want to return XML file with outputs encoding, you have to enable it in you process configuration with option `storeSupported`:

```
self.storeSupported = "true"
```

And you have to call the PyWPS with "store=true" option:

```
version=0.4.0&service=Wps&request=Execute&Identifier=your_process&\
datainputs=input1,value1,input2,value2&store=true
```

Or in XML input:

```
request=<?xml version="1.0" encoding="utf-8"?>
<Execute service="WPS" version="0.4.0" store="true" status="false"
xmlns="http://www.opengeospatial.net/wps"
xmlns:ows="http://www.opengeospatial.net/ows"
xmlns:xlink="http://www.w3.org/1999/xlink"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.opengeospatial.net/wps/wpsDescribeProcess.xsd">
...

```

This will cause PyWPS to look after `self.status` array in your process in form form

```
self.status = ["Message", Percent_Done]
```

and generate XML file in `statusLocation` with this embed message. E.g.

```
self.status = ["Generating raster map", 50]
```

will become

```
...
<Status>
    <ProcessStarted message="Generating raster map" percentCompleted="50"/>
</Status>
...

```

## A Sample process: addvalue

This sample process describes how to made your own WPS processes. Purpose of this process is:

- Download input raster map from some server
- Convert it to integer values
- Add input value to each raster cell
- Convert raster to vector
- Export raster to TIFF and vector to GML. Vector file will be embed ot output XML file.

```
"""
pywps process example:

addvalue: Adds some value to raster map
"""
# Author: Jachym Cepicky
#         http://les-ejk.cz

import os,time,string,sys

class Process:
    def __init__(self):

        #
        # Mandatory parameters
        #

        # Identifier - name of this process
        self.Identifier = "addvalue"

        # processVersion - version of this process
        self.processVersion = "0.1"

        # Title - title for this process
        self.Title="Add some value to raster map"

        #
        # Inputs
        # Inputs = [ {input1},{input2},{...} ]
        #
        self.Inputs = [
            # This module has 2 inputs:
            # 1) Input raster map
```

```

# 2) Value to be added

# 0
{
  'Identifier':'input',
  'Title': 'Input raster map',
  'ComplexValueReference': {
    'Formats': [ "image/tiff" ]
  },
  'value':None
},

# 1
{
  'Identifier': 'value',
  'Title': 'Value to be added',
  'LiteralValue': {"values":["*"]}, # will cause "AnyValue"
  'dataType' : type(0.0),
  'value':None
},
]

#
# Output
# The structure is not much different from the input structure
#
self.Outputs = [
  # 0
  {
    'Identifier': 'vector',
    'Title': 'Resulting vector map',
    'ComplexValue': {
      'Formats':["text/xml"],
    },
    'value':None
  },
  # 1
  {
    'Identifier': 'raster',
    'Title': 'Resulting raster map',
    'ComplexValueReference': {
      'Formats':["image/tiff"],
    },
    'value':None
  }
  # 2
  {

```



```

        'Identifier': 'bbox',
        'Title': 'Resulting map bbox',
        'BoundingBoxValue': {}
    }

]

#
# Optional attributes
#
#
# storeSupported = "true" or "false"
# should the resulting map be stored on our disk?
self.storeSupported = "true"

#
# statusSupported = "true" or "false" - run asynchronous
self.statusSupported = "true"

#####
# Execute part of the process
def execute(self):
    """
    This function
    1) Imports the raster map
    2) runs r.mapcalc out=in+value
    3) Exports the raster map
    4) Sets the bounding box of resulting map
    5) runs r.to.vect
    6) Exports the vector map
    """

    # for asynchronous process:
    self.status=["Importing the raster map", 5]

    # 1) import
    if os.system("r.in.gdal -o in=%s out=input >&2" %\
        (self.DataInputs['input'])):
        return "Could not import raster map

    # check for more than one channel
    for gdalinfofn in os.popen("gdalinfo %s" % \
        (self.DataInputs['input'])):
        if gdalinfofn.split()[0] == "Band" and gdalinfofn.split()[1] == "3":
            return "This module can work only with ONE channel raster maps"

```

```

# set right region
os.system("""g.region rast=input >&2""")

# for asynchronous process:
self.status=["Adding input value to raster map", 30]

# 2) add the value, convert to int
os.system("""r.mapcalc output="int(input+%f)" "" " % \
          (float(self.DataInputs['value']))))

# for asynchronous process:
self.status=["Exporting TIFF image", 50]

# 3) export the tiff
if os.system("r.out.gdal type=Int32 in=output out=%s 1>&2" %\
            "output.tif"):
    return "Could not export raster map"

# for asynchronous process:
self.status=["Converting raster to vector", 75]

# 4) setting the bounding box
region = {}
for b in os.popen("g.region -g"):
    b = b.strip()
    key,val = b.split("=")
    region[key] = val
self.DataOutputs['bbox'] = [region['s'],region['e'],region['n'],region['w']]

# 5) convert to vector
if os.system("r.to.vect in=output out=output feature=area >&2"):
    return "Could not convert raster to vector"

# for asynchronous process:
self.status=["Exporting GML file", 95]

# 6) export of vector map to GML
if os.system(
    """v.out.ogr format=GML in=output dsn=output.gml olayer=output >&2"""):
    return "Could not export vector to GML"

# setting output variables
self.DataOutputs['vector'] = "output.gml"
self.DataOutputs['raster'] = "output.tif"

# end
return

```

## B KVP request encoding of addvalue

This process can be lunched with URL:

```
http://localhost/cgi-bin/wps.py?service=wps&version=0.4.0&identifier=addvalue&request=execute&\
datainputs=input,http://localhost/data/raster.tif,value,250&status=true&store=true
```

## C XML request encoding addvalue

```
request=<?xml version='1.0' encoding='UTF-8' standalone='yes'?>
<Execute service='wps' version='0.4.0' store='true' status='false'
  xmlns="http://www.opengeospatial.net/wps"
  xmlns:ows="http://www.opengeospatial.net/ows">
<ows:Identifier>addvalue</ows:Identifier>
<DataInputs>
  <Input>
    <ows:Identifier>input</ows:Identifier>
    <ComplexValueReference reference='http://localhost/wps/data/soils.tif' />
  </Input>
  <Input>
    <ows:Identifier>value</ows:Identifier>
    <LiteralValue>250</LiteralValue>
  </Input>
  <!-- Input>
    <ows:Identifier>bbox</ows:Identifier>
    <BoundingBoxValue>
      <BoundingBox>
        <LowerCorner>-1 -1</LowerCorner>
        <UpperCorner>10 10</UpperCorner>
      </BoundingBox>
    </BoundingBoxValue>
  </Input -->
</DataInputs>
</Execute>
```

## D Licence of PyWPS

The GNU General Public License

Version 2, June 1991

Copyright © 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software—to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation’s software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author’s protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors’ reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone’s free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The “Program”, below, refers to any such program or work, and a “work based on the Program” means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term “modification”.) Each licensee is addressed as “you”.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:
  - (a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
  - (b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
  - (c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:
  - (a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

- (b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- (c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.
5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.
6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.
7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent

obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.
9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and “any later version”, you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM “AS IS” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

## E Licence of this document

### GNU Free Documentation License

Version 1.2, November 2002

Copyright ©2000,2001,2002 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The purpose of this License is to make a manual, textbook, or other functional and useful document “free” in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of “copyleft”, which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.



# 1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The **"Document"**, below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as **"you"**. You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A **"Modified Version"** of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A **"Secondary Section"** is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The **"Invariant Sections"** are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The **"Cover Texts"** are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A **"Transparent"** copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called **"Opaque"**.

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The **"Title Page"** means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title

page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A section "**Entitled XYZ**" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "**Acknowledgements**", "**Dedications**", "**Endorsements**", or "**History**".) To "**Preserve the Title**" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

## 2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or non-commercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

## 3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in

quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

## 4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the

Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.

- K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties—for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

## 5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by

adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

## **6. COLLECTIONS OF DOCUMENTS**

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

## **7. AGGREGATION WITH INDEPENDENT WORKS**

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

## **8. TRANSLATION**

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

## **9. TERMINATION**

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

## 10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.